







TYPE	SAME DIMENSIONS AS YUASA TYPE	CAPACITY (Ah) 10HR	DIMENSION (±2MM)			WEIGHT W/O ACID (KG)	ACID VOLUME (LITER)	REGULAR CHARGE CURRENT (A)	ASSEMBLY FIGURE	TERMINAL TYPE	CCA @-18°C
			L	W	H						
YB2.5L-BS	YB2.5L-C	2.5	80	71	103	0.83	0.19	0.25		-	25
YB3L-BS	YB3L-B	3	99	57	108	0.96	0.20	0.30		5	32
YB4L-BS	YB4L-B	4	120	70	92	1.42	0.23	0.40		4	50
YB5L-BS	YB5L-B	5	120	61	128	1.50	0.33	0.50		5	60
YB5L-BS-2		5	120	61	128	1.50	0.33	0.50		4	60
YB6-BS		6	141	73	94	1.61	0.32	0.60		5	75
YB6L-BS		6	141	73	94	1.61	0.32	0.60		5	75
YB7B-BS	YB7B-B	7	147	59	130	1.84	0.42	0.70		5	70
YB7BL-BS		7	147	59	130	1.84	0.42	0.70		5	70
YB7-BS		7	135	75	130	1.90	0.41	0.70		5	70
YB7L-BS		7	135	75	130	1.90	0.41	0.70		5	70
YB7H-BS	YB7-A/YB7-B	8	135	75	130	2.09	0.40	0.80		5	80
YB9-BS	YB9-B	9	135	76	137	2.25	0.50	0.90		5	90
YB9L-BS	YB9L-B	9	135	76	137	2.25	0.50	0.90		5	90
YB10-BS	YB10A-A2	11	134	89	145	3.07	0.55	1.10		5	140
YB10L-BS	YB10L-B	11	134	89	145	3.07	0.55	1.10		5	140
YB10A-BS		11	134	89	158	3.07	0.55	1.10		5	140
YB10AL-BS		11	134	89	158	3.07	0.55	1.10		5	140
YB10-BS-2	YB10A-A2	11	134	89	145	3.07	0.55	1.10		4	140
YB10L-BS-2	YB10L-A2/YB10L-B2	11	134	89	145	3.07	0.55	1.10		4	140
YB10A-BS-2		11	134	89	158	3.07	0.55	1.10		4	140
YB10AL-BS-2		11	134	89	158	3.07	0.55	1.10		4	140
YB12A-BS	YB12A-A/YB12A-B	12	134	80	160	3.38	0.61	1.20		5	160
YB12AL-BS	YB12AL-A	12	134	80	160	3.38	0.61	1.20		5	160
YB12A-BS-2		12	134	80	160	3.38	0.61	1.20		4	160
YB12AL-BS-2		12	134	80	160	3.38	0.61	1.20		4	160
YB12C-A-BS	YB12C-A	12	134	80	175	3.38	0.61	1.20		4	160
Y50-N18L-BS	Y50-N18L-A	20	205	87	162	5.89	1.12	2.00		4	240
YB30CL-BS	YB30CL-B	30	168	132	192	7.03	1.42	3.00		4	300
YTX53034-BS	53034/Y60-N30-A/B	30	186	130	170	7.25	1.65	3.00		3	300
YTX53030-BS	53030/Y60-N30L-A/B	30	186	130	170	7.25	1.65	3.00		3	300
YTR4A-BS		2.3	113	48	85	0.83	0.13	0.23		10	30
YTX4B-BS	YT4B-BS	2.3	113	39	85	0.79	0.13	0.23		11	30
YT4L-BS		3	114	70	85	1.11	0.20	0.30		4	40
YTX4L-BS		3	114	70	85	1.11	0.20	0.30		4	40
YT5L-BS		4	114	70	106	1.46	0.26	0.40		4	55
YTX5L-BS		4	114	70	106	1.46	0.26	0.40		4	55
YTX6.5-BS		6.5	139	66	102	1.79	0.34	0.65		5	60

YTX6.5L-BS		6.5	139	66	102	1.79	0.34	0.65	TTTTF	5	60
YTX7-BS		6	114	70	130	1.89	0.36	0.60	TTTTF	4	75
YTX7L-BS		6	114	70	130	1.89	0.36	0.60	TTTTF	4	75
YTX7A-BS		6	150	87	93	1.97	0.39	0.60	TTTTF	4	85
YTX9-BS		8	150	87	105	2.44	0.45	0.80	TTTTF	4	90
YTX9L-BS		8	150	87	105	2.44	0.45	0.80	TTTTF	4	90
YTR9-BS		8	150	87	106	2.33	0.45	0.80	TTTTF	9	120
YTX12-BS		10	150	87	130	2.97	0.58	1.00	TTTTF	4	160
YTX12L-BS		10	150	87	130	2.97	0.58	1.00	TTTTF	4	160
YTX12A-BS		10	150	87	106	2.53	0.49	1.00	TTTTF	9	120
YTX14-BS		12	150	87	146	3.47	0.73	1.20	TTTTF	4	180
YTX14L-BS		12	150	87	146	3.47	0.73	1.20	TTTTF	4	180
YTX14H-BS		12	150	87	146	3.57	0.68	1.20	TTTTF	4	200
YTX14AH-BS		13	134	89	166	3.59	0.64	1.30	TTTTF	4	160
YTX14AHL-BS		13	134	89	166	3.59	0.64	1.30	TTTTF	4	160
YTX15-BS		13	175	87	130	3.78	0.74	1.30	TTTTF	4	180
YTX15L-BS		13	175	87	130	3.78	0.74	1.30	TTTTF	4	180
YTX16-BS		14	150	87	159	3.95	0.77	1.40	TTTTF	4	200
YTX16L-BS		14	150	87	159	3.95	0.77	1.40	TTTTF	4	200
YTX16-BS-1		14	150	87	159	3.95	0.77	1.40	TTTTF	1	200
YTX16L-BS-1		14	150	87	159	3.95	0.77	1.40	TTTTF	1	200
YTX20CH-BS	YTX20A-BS	18	150	87	161	4.43	0.81	1.80	TTTTF	9	220
YTX18-BS		20	205	87	162	5.89	1.12	2.00	TTTTF	4	240
YTX18L-BS		20	205	87	162	5.89	1.12	2.00	TTTTF	4	240
YTX19-BS		19	175	100	155	4.99	1.06	1.90	TTTTF	4	190
YTX19L-BS		19	175	100	155	4.99	1.06	1.90	TTTTF	4	190
YTX19CL-BS		21	175	100	175	5.91	1.14	2.10	TTTTF	4	210
YTX20-BS		18	175	87	155	4.81	0.89	1.80	TTTTF	4	220
YTX20L-BS		18	175	87	155	4.81	0.89	1.80	TTTTF	4	220
YTX20H-BS		18	175	87	155	4.60	0.89	1.80	TTTTF	4	250
YTX20HL-BS		18	175	87	155	4.60	0.89	1.80	TTTTF	4	250
YTX24HL-BS		24	205	87	162	5.72	1.26	2.40	TTTTF	4	300
YIX30-BS		30	167	127	176	7.41	1.50	3.00	TTTTF	4	320
YIX30L-BS		30	167	127	176	7.41	1.50	3.00	TTTTF	4	320
YIX50-BS		20	205	87	162	5.89	1.12	2.00	TTTTF	4	240
YIX50L-BS		20	205	87	162	5.89	1.12	2.00	TTTTF	4	240
YT7B-BS		5.5	150	65	93	1.69	0.33	0.55	TTTTF	9	70
YT9B-BS		8	150	69	105	2.08	0.42	0.80	TTTTF	9	105
YT12B-BS		10	150	69	130	2.63	0.54	1.00	TTTTF	9	110
YT14B-BS		11.5	150	69	145	3.00	0.60	1.15	TTTTF	9	135

YTZ5S-BS	YTZ5S	4	114	70	85	1.19	0.20	0.40	TTTTT	4	45
YTZ6S-BS	YTZ6S	5.5	114	70	106	1.55	0.26	0.55	TTTTT	4	60
YTZ7S-BS	YTZ7S	5.5	114	70	106	1.55	0.26	0.55	TTTTT	4	60
YTZ10S-BS	YTZ10S	8.6	150	87	95	2.31	0.45	0.86	TTTTT	9	130
YTZ12S-BS	YTZ12S	11	150	87	110	2.93	0.55	1.10	TTTTT	9	140
YTZ14S-BS	YTZ14S	11.2	150	87	110	2.93	0.57	1.12	TTTTT	9	140

