



























TYPE	CAPACIT Y (Ah) 10HR	DIMENSION (±2MM)			WEIGHT W/O ACID (KG)	ACID VOLUME (LITER)	REGULAR CHARGE CURRENT (A)	ASSEMBLY FIGURE	TERMINAL TYPE	CCA @-18℃
		L	W	H						
(6 VOLT)										
6N2-2A	2	70	46	95	0.42	0.14	0.20		-	20
6N2-2A-1	2	70	46	95	0.42	0.14	0.20		-	20
6N2-2A-2	2	70	46	95	0.42	0.14	0.20		-	20
6N2-2A-3	2	70	46	95	0.42	0.14	0.20		-	20
6N2-2A-4	2	70	46	95	0.42	0.14	0.20		-	20
6N2-2A-8	2	70	46	95	0.42	0.14	0.20		-	20
6N2A-2C	2	70	46	103	0.44	0.15	0.20		-	20
6N2A-2C-3	2	70	46	103	0.44	0.15	0.20		-	20
6N4-2A	4	70	70	95	0.59	0.20	0.40		-	25
6N4-2A-2	4	70	70	95	0.59	0.20	0.40		-	25
6N4-2A-3	4	70	70	95	0.59	0.20	0.40		-	25
6N4-2A-4	4	70	70	95	0.59	0.20	0.40		-	25
6N4-2A-5	4	70	70	95	0.59	0.20	0.40		-	25
6N4-2A-6	4	70	70	95	0.59	0.20	0.40		-	25
6N4-2A-7	4	70	70	95	0.59	0.20	0.40		-	25
6N4A-4D	4	60	56	125	0.63	0.17	0.40		-	35
6N4A-4D-1	4	60	56	125	0.63	0.17	0.40		-	35
6N4B-2A	4	100	47	96	0.51	0.21	0.40		-	24
6N4B-2A-3	4	100	47	96	0.51	0.21	0.40		-	24
6N4B-2A-4	4	100	47	96	0.51	0.21	0.40		-	24
6N4B-2A-5	4	100	47	96	0.51	0.21	0.40		-	24
6N4C-1B	4	70	70	103	0.61	0.16	0.40		-	24
6N4.5-1D	4.5	124	50	105	0.78	0.26	0.45		5	36
6N5.5-1D	5.5	88	68	97	0.80	0.27	0.55		-	40
6N5.5-1D-1	5.5	88	68	97	0.80	0.27	0.55		-	40
6N5.5-3D	5.5	88	68	97	0.80	0.27	0.55		-	40
6N6-1B	6	99	57	110	0.78	0.27	0.60		-	48
6N6-1B-1	6	99	57	110	0.78	0.27	0.60		-	48
6N6-1C	6	99	57	110	0.78	0.27	0.60		-	48
6N6-1D	6	99	57	110	0.78	0.27	0.60		-	48
6N6-1D-1	6	99	57	110	0.78	0.27	0.60		-	48
6N6-1D-2	6	99	57	110	0.78	0.27	0.60		-	48
6N6-3B	6	99	57	110	0.79	0.27	0.60		5	48
6N6-3B-1	6	99	57	113	0.79	0.27	0.60		5	48
6N11-2D	11	151	71	100	1.46	0.45	1.10		5	88
6N11A-3A	11	121	59	129	1.34	0.41	1.10		5	88
6N11A-3B	11	121	59	129	1.34	0.41	1.10		5	88
6N11A-4A	11	121	59	129	1.34	0.41	1.10		5	88
6N11A-3	11	121	58	130	1.34	0.41	1.10		5	88
6N11A-4	11	121	58	130	1.34	0.41	1.10		5	88
6N11A-1B	10	122	62	132	1.20	0.42	1.00		5	88
6N12A-2C	12	155	56	114	1.38	0.42	1.20		5	120

6N12A-2D	12	155	56	114	1.38	0.42	1.20		5	120
6N18-3B	13	122	86	140	1.75	0.60	1.30		12	104
6N18-1B	14	106	82	143	1.77	0.57	1.40		5	90
B39-6	7	126	48	126	0.91	0.33	0.70		5	60
6CB8-3B	8	120	71	95	1.18	0.32	0.80		5	64
3-MA-8	8	84	94	165	1.63	0.53	0.80		12	40
B49-6	10	91	83	160	1.18	0.54	1.00		5	80
B38-6A	13	119	83	161	1.52	0.77	1.30		5	104
(12 VOLT)										
12N4-3B	3	120	70	92	0.96	0.31	0.30		4	30
12N5-3B	5	120	60	130	1.36	0.40	0.50		5	50
12N5-4B	5	120	60	130	1.45	0.41	0.50		5	40
12N5.5A-3B	5.5	104	91	115	1.71	0.45	0.55		5	44
12N5.5-3A	5.5	139	62	128	1.55	0.48	0.55		5	60
12N5.5-3B	5.5	138	61	131	1.55	0.48	0.55		5	60
12N5.5-4A	5.5	139	62	128	1.55	0.48	0.55		5	60
12N5.5-4B	5.5	138	61	131	1.55	0.48	0.55		5	60
12N6-3A	6	136	71	94	1.45	0.34	0.60		5	60
12N6-4A	6	136	71	94	1.45	0.34	0.60		5	60
12N6-3B	6	141	73	94	1.45	0.34	0.60		5	60
12N6-4B	6	141	73	94	1.45	0.34	0.60		5	60
12N6.5-3B	6.5	140	68	106	1.63	0.41	0.65		5	65
12N6.5-4B	6.5	140	68	106	1.63	0.41	0.65		5	65
12N7D-3B	7	134	76	141	1.82	0.66	0.70		5	75
12N7A-3A	7	146	60	132	1.90	0.50	0.70		5	74
12N7A-4A	7	146	60	132	1.90	0.50	0.70		5	74
12N7C-3D	8	130	90	116	2.35	0.50	0.80		1	80
12N7-3A	7	135	76	134	1.71	0.64	0.70		5	90
12N7-4A	7	135	76	134	1.71	0.64	0.70		5	90
12N7-3B	7	135	76	134	1.71	0.64	0.70		5	90
12N7-4B	7	135	76	134	1.71	0.64	0.70		5	90
12N9-3A-1	9	135	76	138	2.07	0.59	0.90		5	90
12N9-3B	9	135	76	138	2.07	0.59	0.90		5	90
12N9-4B-1	9	135	76	138	2.07	0.59	0.90		5	90
12N9-3A	9	137	75	139	2.12	0.66	0.90		8	90
12N9Y-3B	9	136	76	138	2.26	0.59	0.90		13	90
12N10-3A	10	134	90	145	2.23	0.78	1.00		5	95
12N10-3A-2	10	134	90	145	2.23	0.78	1.00		4	95
12N10-3B	10	134	90	145	2.23	0.78	1.00		5	95
12N11-3A	11	134	90	155	2.60	0.84	1.10		5	103
12N11-3A-1	11	134	90	155	2.60	0.84	1.10		4	103
12N11-3B	11	134	90	155	2.60	0.84	1.10		5	103
12N12A-4A-1	12	134	80	160	2.65	0.73	1.20		5	120
12N12-3A	12	200	75	135	2.77	0.96	1.20		5	113
12N12-3B	12	200	75	135	2.77	0.96	1.20		5	113
12N14-3A	14	134	89	164	2.95	0.87	1.40		4	125
12N14-3B	14	134	89	164	2.95	0.87	1.40		4	125

12N14-4A	14	134	89	164	2.95	0.87	1.40	⬅️⬜⬜⬜⬜➡️	4	125
12N14-4B	14	134	89	164	2.95	0.87	1.40	➡️⬜⬜⬜⬜➡️	4	125
12N18-3	18	206	92	160	3.88	1.35	1.80	⬜⬜⬜⬜➡️	5	164
12N18-3A	18	206	92	160	3.93	1.35	1.80	⬅️⬜⬜⬜⬜➡️	4	164
12N18-4A	18	206	92	160	3.93	1.35	1.80	⬅️⬜⬜⬜⬜➡️	4	164
N20	18	262	96	172	4.15	1.86	1.80	⬜⬜⬜⬜➡️	13	180
12N16-3A	19	175	100	155	4.59	1.23	1.90	⬅️⬜⬜⬜⬜➡️	5	230
12N16-4A	19	175	100	155	4.59	1.23	1.90	⬅️⬜⬜⬜⬜➡️	5	230
12N16-3B	19	175	100	155	4.59	1.23	1.90	⬜⬜⬜⬜➡️	5	230
12N16-4B	19	175	100	155	4.59	1.23	1.90	➡️⬜⬜⬜⬜➡️	5	230
12C16A-3B	19	185	82	170	4.64	1.08	1.90	⬜⬜⬜⬜➡️	3	150
51814	19	185	82	170	4.81	0.92	1.90	⬜⬜⬜⬜➡️	3	190
51913	19	185	82	170	4.81	0.92	1.90	⬅️⬜⬜⬜⬜➡️	3	190
52015	20	185	82	170	4.64	1.08	2.00	⬜⬜⬜⬜➡️	3	150
12N24-3	24	184	124	174	5.14	1.80	2.40	⬜⬜⬜⬜➡️	3	225
12N24-4	24	184	124	174	5.14	1.80	2.40	➡️⬜⬜⬜⬜➡️	3	225
12N24-3A	24	184	124	174	5.14	1.80	2.40	⬅️⬜⬜⬜⬜➡️	3	225
12N24-4A	24	184	124	174	5.14	1.80	2.40	⬅️⬜⬜⬜⬜➡️	3	225